



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/2095/162/12/20/3043

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : Kupfer Hermanos S.A
Libertad #54,8350635,Santiago
CHILE

Description

PPE Type : protective glove against mechanical risks

Product reference : WA9611P

Article code : /

Glove description : 15 gauge grey nylon + spandex liner,black nitrile foam fully coating

Available sizes : 6#XS 7#S 8#M 9#L 10#XL 11#XXL 12#XXXL

Pictures :



ATOX

ULTRA TECH

PRO FC

WA9611P



4121X



Size XS/6



Hecho en China

Libertad #54,
8350635, Santiago
CHILE
LOT: XXXXXX

Reference standard :

Levels of performance / class of protection

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.
« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

EN ISO 21420:2020

-

EN 388:2016 + A1:2018

4 1 2 1 X

At the date of the certificate, the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 01 dated from DECEMBER, 2020

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Didier GUISADO
Certification and Quality Manager

Date of first issue : 21 December 2020
End of validity date : 21 December 2025



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir: Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

Kupfer Hermanos S.A

**MANUFACTURER'S TECHNICAL FILE TO THE
PPE REGULATION 2016/425**

Reference of the product	:	WA9611P
Article code	:	/
Technical file index	:	01
Last update	:	DECEMBER, 2020

IDENTIFICATION

Reference of the product :	:	WA9611P
Article code :	:	/
Basic Model		
Technical file index :	:	01
Last update :	:	DECEMBER, 2020

Manufacturer :

Kupfer Hermanos S.A
Libertad #54,8350635,Santiago
CHILE
tel : 56 2 2351 5154
fax :

Factory :

SHANDONG XINGYU GLOVES CO.,LTD
MIDDLE YAOQIAN ROAD CHAOYANG DISTRICT GAOMI CITY SHANDONG
PROVINCE
CHINA
tel: 0086-536-2587338
fax: 0086-536-2586328

GLOVE DESCRIPTION

General glove description and intended use:

15 gauge grey nylon + spandex liner, black nitrile foam fully coating

This glove is designed against mechanical risks.

Type of coating finish : foam

Visual description (picture back and palm sides) :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Glove constitution :

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm		black	nitrile			0.3-0.5mm
		grey	nylon/spandex	200g/m2	15gauges /inch	
Back	full coating	black	nitrile			0.3-0.5mm
		grey	nylon/spandex	200g/m2	15gauges /inch	
Cuff		grey	nylon/spandex/elastic	400g/m2	15gauges /inch	
Binding		brown	polyester			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed against mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN ISO 21420 : 2020

Dexterity : 5
 Available size range: 6#XS 7#S 8#M 9#L 10#XL 11#XXL 12#XXXL

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B table B.1

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Mechanical hazard EN 388 : 2016 + A1 : 2018

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	2
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	X
Impact Protection	-

The levels of performance have been measured on the palm.

TEST REPORTS

Laboratory	CTC	Other
EN ISO 21420 + innocuousness	S180201564_1 S201111716_1 S200100281_1(DMFu) S200909577_1	
EN 388	S180201564_1	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : WA9611P

Article Code : /

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or serial/batch number :

Date of obsolescence (month/year) if applicable:

Marking example :





PRO FC

WA9611P



Hecho en China

Libertad #54,
8350635, Santiago
CHILE
LOT: XXXXXX

Method of marking on the glove :

ink printing on the back

Packaging suitable for transport:

12 pairs/PE bag; 144 pairs/carton

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Cleaning instructions:

The gloves are not washable.

MEANS OF CONTROL

According to ISO 9001, random inspect abrasion for every batch



intertek
Total Quality Assurance

CERTIFICATE OF REGISTRATION

This is to certify that the management system of:

Shandong Xingyu Gloves Co., Ltd.

Widde of Yaoqian Road, Gaomi Economic Development Zone, Weifang,
Shandong Province, P. R. China
has been registered by Intertek as conforming to the requirements of:

ISO 9001:2015

The management system is applicable to:

Production of Textile Impregnated Gloves.

Unified Social Credit Identifier:
913707857748816007

Certificate Number:
111901026

Initial Certification Date:
17 February 2016

Date of Certification Decision:
03 February 2019

Issuing Date:
03 February 2019

Valid Until:
16 February 2022



UKAS
MANUFACTURING
SYSTEMS



Colin Moldoveanu
President, Business Assurance

Intertek Certification Limited, 206 Victoria
Park, Victoria Road Derby DE11 6EF, United
Kingdom

Intertek Certification Limited is a
UKAS accredited body under
schedule of accreditation no. 014



In the absence of this certificate, Intertek assumes no liability to any party other than to its Client, and this is only in accordance with the agreed upon Certificate of
Registration. This certificate is available only subject to the conditions mentioned in the system. In case of any dispute, the client will be responsible for the
dispute. This certificate is not a guarantee of performance. It is not a warranty for the client to be right with a contract. This certificate is not a guarantee of
quality or it may be for the contract upon request.
The overall quality of the certificate is not affected by the fact that the certificate is not a UKAS in China.



INSTRUCTION FOR USE

Kupfer Hermanos S.A

Libertad #54,8350635,Santiago

CHILE

Glove reference : WA9611P

Article code: /

User notice index : 01

Last update : DECEMBER, 2020

ATOX

ULTRA TECH

PRO FC

WA9611P



4121X



Size XS/6



Hecho en China

Libertad #54,
8350635, Santiago

CHILE

LOT:XXXXXX

Glove description :

15 gauge grey nylon + spandex liner,black nitrile foam fully coating

This glove is a personal protective equipment belonging to the category II.

It meets the requirements of the PPE Regulation 2016/425 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :

The glove meets the requirements of the standard EN ISO 21420:2020 « Protective Gloves - General requirements and test methods ».

Dexterity: 5

Available size range: 6#XS 7#S 8#M 9#L 10#XL 11#XXL 12#XXXL

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 2140 Annex B.

Moreover, this glove has been designed for the following applications :

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Application :

Mechanical hazard - EN 388:2016 +
A1:2018



Read carefully the instructions for use provided with the product



4 1 2 1 X

Levels of performance

Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	1	(on 5 maxi)
Tear resistance	2	(on 4 maxi)
Puncture resistance	1	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	X	(A to F)
Impact Protection		

Protection limit :

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

Before use, the glove shall be visually inspected for any defect or imperfections. In case of deterioration, the gloves must be scrapped (abrasion, cut, No flame protection is claimed. This glove shall not be in contact with naked flame.

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

The levels of performance against mechanical risks are only valid for the palm of the glove.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

The gloves are not washable.

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Declaration of conformity :

Available with product.